Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1-11. (Cancelled).
- 11. (Currently Amended) A compound selected from the group consisting of 1-(3-Ethoxy-4-methoxy-benzyl)-4-(4-isopropyl-phonyl)-6-prop-2-ynyloxy-1H-quinazolin-2-ono:
 - 1-(4-Bromo-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one:
- 1-[3-(2-Hydroxy-ethoxy)-benzyl]-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazoline-2-thione:
- 1-(2,3-Dimethoxy-quinoxalin-6-ylmethyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
- 4-(4-Isopropyl-phenyl)-1-(3-methane-sulphonyl-benzyl)-6-propargyloxy-1H-quinazoline-2-one;
- 4-(4-Isopropyl-phenyl) 1-[3-(2-methanesulphinyl-ethoxy)-benzyl] 6-prop-2-ynyloxy-1H-quinazolin-2-one;
- 4-(4-Isopropyl-phenyl)-1-[3-(2-methanesulphonyl-ethoxy)-benzyl]-6-prop-2-ynyloxy-1H-quinazoline-2-one;
- 4-(4-Isopropyl-phonyl)-1-[2-(2-methoxy-ethyl)-2H-tetrazol-5-ylmethyl]-6-prop-2-ynyloxy-1H-quinazolin-2-thiono:
- 4-(4-Isopropyl-phonyl) 1-(3-methane-sulphinyl-benzyl)-6-propargyloxy-1H-quinazoline-2-one;
 - 4-(4-Isopropyl-phenyl) 6-prop-2-ynyloxy 1-pyridin-2-ylmethyl 1H-quinazolin-2-one;
 - 4 (4 Isopropyl phenyl) 6 prop 2 ynyloxy 1 (4 [1,2,3]triazol 2 yl benzyl) 1H quinazolin 2 one;
 - 1-(3-Bromo-propyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
 - 4 (4-Isopropyl phenyl) 6-prop-2-vnyloxy 1-pyridin-3-ylmethyl-1H-quinazolin-2-one;
- 1-[2-(2-Hydroxy-ethoxy)-benzyl]-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
- 1-[3-(2-Hydroxy-ethoxy)-thiophen-2-ylmethyl]-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
- 1 (3-Chloro-4-hydroxy-5 methoxy-benzyl)-4-(4-isopropyl-phonyl) 6-prop-2-ynyloxy-1H-quinazolin-2-one;
 - 1-(2-Ethoxy-benzyl) 4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
 - 1-(3-Ethoxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

- 1-(2-Hydroxy-6-methoxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
- 1-(3-Ethoxy-4-methoxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazoline-2-one;
 - 1-(1H-Indol-4-ylmethyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
- 1-(4-Hydroxy-3-methoxy-benzyl) 4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one:
- 1-(2-Hydroxy-4-methoxy-benzyl)-4-(4-isopropyl-phonyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one:
- 2-Hydroxy-5-[4-(4-isopropyl-phenyl)-2-oxo-6-prop-2-ynyloxy-2H-quinazolinyl-1-ylmethyl]-benzoic acid-methyl ester;
 - 1-(3-Chloro-4-hydroxy-benzyl)-4-(4-isopropyl-phonyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
 - 1-(2-Chloro-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
- 1-(4-Hydroxy-3,5-dimethoxy-benzyl)-4-(4-isopropyl-phonyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one:
 - 1-(2,5-Dimethoxy-benzyl) 4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
- 4-[4-(4-Isopropyl-phonyl)-2-oxo-6-prop-2-ynyloxy-2H-quinazolin-1-ylmethyl]-1H-indole-2-carboxylic-acid-amide;
 - 1-(2-Ethyl-butyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
- 3-[4-(4-Isopropyl-phenyl)-2-oxo-6-prop-2-ynyloxy-2H-quinazolin-1-ylmethyl]-phenoxy}-acetic acid:
 - 1-(2,3-Dimethoxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
- 1-(2,3-Dihydro-benzo[1,4]dioxin-6-ylmethyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
- 4-(4-Isopropyl-phenyl)-1-(4-oxo-4H-chromen-3-ylmethyl)-6-prop-2-ynyloxy-1H-quinazolin-2-ono;
 - 4-(4-Isopropyl-phonyl)-1-(2-methyl-butyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
 - 1-(2,6-Dichloro-benzyl) 4-(4-isopropyl-phonyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
 - 1-(2,3-Dichloro-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
 - 4-(4-Isopropyl-phenyl)-6-prop-2-ynyloxy-1-(3-trifluoromethyl-benzyl)-1H-quinazolin-2-one;
 - 4 (4 Isopropyl-phenyl) 6 prop-2-ynyloxy 1 (4-trifluoromethyl-benzyl) 1H quinazolin 2 one;
 - 1-(3-Ethoxy 4-hydroxy-benzyl) 4-(4-isopropyl-phenyl) 6-prop-2-ynyloxy-1H-quinazolin-2-one;
 - 4-(4-Isopropyl-phenyl)-1-(3-phenyl-butyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
 - 1-(3,4-Diethoxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

```
1-(3-Fluoro-4-methoxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-
ono:
       {4-[4-(4-Isopropyl-phenyl)-2-oxo-6-prop-2-ynyloxy-2H-quinazolin-1-ylmethyl]-phenoxy}-acetic
acid:
       4-(4-Isopropyl-phenyl) 1-(4-methoxy-2,3-dimethyl-benzyl) 6-prop-2-ynyloxy-1H-quinazolin-2-
one:
       1-(4-Benzyloxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
       1-(3 Hydroxy-6-methyl-pyridin-2-ylmethyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-
quinazolin-2-one:
       {2-[4-(4-Isopropyl-phenyl)-2-oxo-6-prop-2-ynyloxy-2H-quinazolin-1-ylmethyl]-6-methoxy-
phenoxy)-acetic acid;
       4-(4-Isopropyl-phenyl)-1-(3-methoxy-benzyl)-6-propargyloxy-1H-quinazolin-2-one;
       4-(4-Isopropyl-phenyl)-1-(3,4-dimethoxy-benzyl)-6-propargyloxy-1H-quinazolin-2-one;
       4-(4-Isopropyl-phenyl)-1-(4-methoxy-benzyl)-6-propargyloxy-1H-quinazolin-2-one;
       4-(4-Isopropyl-phenyl)-1-(3, 5-dimethoxy-benzyl)-6-propargyloxy-1H-quinazolin-2-one;
       4-(4-Isopropyl-phenyl)-1-(3, 5-dimethoxy-benzyl)-6-propargyloxy-1H-quinazolin-2-one;
       4-(4-Isopropyl-phenyl)-1-(4-ethoxy-2-hydroxy-benzyl)-6-propargyloxy-1H-quinazolin-2-one;
       4-(4-Isopropyl-phenyl)-1-(2,4-diethoxy-benzyl)-6-propargyloxy-1H-quinazolin-2-one;
       4-(4-Isopropyl-phonyl)-1-(2-ethoxy-5-hydroxy-benzyl)-6-propargyloxy-1H-quinazolin-2-one;
       4-(4-Isopropyl phenyl)-1-(2-methoxy-benzyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
       4-(4-Isopropyl-phonyl)-1-(4-ethoxy-benzyl)-6-propargyloxy-1H-quinazolin-2-one;
       4-(4-Isopropyl-phenyl)-1-(3-isopropoxy-benzyl)-6-propargyloxy-1H-quinazolin-2-one;
       4-(4-Isopropyl-phenyl)-1-(3-n-propoxy-benzyl)-6-propargyloxy-1H-quinazolin-2-one;
       1-(4-Bromo-3-methoxy-benzyl)--4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;
       4-(4-Isopropyl-phenyl)-1-(3-hydroxy-4-methoxy-benzyl)-6-propargyloxy-1H-quinazolin-2-one;
       4-(4-Isopropyl-phenyl)-1-(2-methoxymethoxy-benzyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
       1-(4-Bromo-3-ethoxy-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;
       1-(3-Chloro-4-methoxy-benzyl)-4-(4-isopropyl-phenyl)-6-proparayloxy-1H-quinazolin-2-one:
      1-(3-Chloro-4-ethoxy-benzyl)--4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;
      1-(3-Chloro-4,5 dimethoxy-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-
one:
      1-(4-Chloro-3-methoxy-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;
      1-(3-Fluoro-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;
      1-(3,4-Difluoro-benzyl)-4 (4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;
      1-(4-Chloro-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;
```

- 1-(4 Fluoro benzyl) 4-(4 isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;
- 1-(3-Chloro-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;
- 1-(3-Bromo-4-hydroxy-5-methoxy-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;
 - 1-(3-Bromo-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;
- 1-(3-Bromo-4,5-dimethoxy-benzyl) 4-(4-isopropyl-phenyl) 6-propargyloxy-1H-quinazolin-2-one;
- 1 (3 Bromo 4,5 dimethoxy-benzyl) 4 (4 isopropyl-phenyl) 6 propargyloxy-1H-quinazolin-2-one;
 - 1-(3,4-Dibromo-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;
 - 1-(3,4-Dichloro-benzyl)-4-(4-isopropyl-phonyl)-6-propargyloxy-1H-quinazolin-2-one;
 - 1-(4-Methyl-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;
 - 1-(3-Methyl-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;
 - 1-(4-Ethyl-benzyl) 4-(4-isopropyl-phenyl) 6-propargyloxy-1H-quinazolin-2-one;
 - 1-(3,4-Dimethyl-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;
- 1 (2-Bromo-thiazol-5-ylmethyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
- 1-(4,5-Dichloro thiophen-2-ylmethyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
- 4-(4-Isopropyl-phenyl)-1-(5-methyl-thiophen-2-ylmethyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
 - 4-(4-Isopropyl-phenyl)-6-prop-2-ynyloxy-1-quinolin-2-ylmethyl-1H-quinazolin-2-one:
- 4-(4-Isopropyl-phenyl)-6-prop-2-ynyloxy-1-[2-(2,6,6-trimethyl-cyclohex-1-enyl)-ethyl]-1H-quinazolin-2-one;
 - 4-(4-Isopropyl-phonyl)-6-propargyloxy-1-(3,3,3-trifluoro-propyl)-1H-quinazolin-2-one;
 - 1-(3,3-Dimethyl-butyl)-4-(4-Isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;
 - 1-(2,2-Dimethyl-pent-4-enyl) 4-(4-isopropyl-phenyl) 6-prop-2-ynyloxy-1H-quinazolin-2-one;
- 1-(3,5-Dimethyl-1-phenyl-1H-pyrazol-4-ylmethyl)-4 (4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one:
- 1-(5-Bromo-thiophen-2-ylmothyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
- 1-(5-Hydroxymethyl-furan-2-ylmethyl) 4-(4-isopropyl-phonyl) 6-prop-2-ynyloxy-1H-quinazolin-2-one;
- 1-(2-Butyl-5-chloro-1H-imidazol-4-ylmethyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-ono:

- 4 (4-Isopropyl-phonyl) 1-(6 methoxy-pyridin-3-ylmethyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
- 7-[4-(4-Isopropyl-phenyl)-2-oxo-6-prop-2-ynyloxy-2H-quinazolin-1-ylmethyl]-1H-indolo-2-carbonitrile;
- 1-(2,4-Diamino-pyrimidin-5-ylmethyl)-4-(4-isopropyl-phonyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one:
- 1-(6-Hydroxymethyl-pyridin-2-ylmethyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
- 1-(3,5-Di-tert-butyl-4-hydroxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
- 4-[4-(4-Isopropyl-phenyl)-2-oxo-6-prop-2-ynyloxy-2H-quinazolin-1-ylmethyl]-2,2-dimethyl-oxazolidine-3-carboxylic acid-tert-butyl-ester;
- 4-(4-Isopropyl-phonyl) 1-(4-methylamine-2-methylsulphanyl-pyrimidin-5-ylmethyl) 6-prop-2-ynyloxy-1H-quinazolin-2-one;
- 4 (4-Isopropyl-phenyl)-1-{4-[2-(methyl-pyridin-2-yl-amino)-ethoxy]-benzyl}-6-prop-2-ynyloxy-1H-quinazolin-2-one;
 - 4-(4-Isopropyl-phenyl)-1-(2-methyl-hex-4-enyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
 - 4-(4-Isopropyl-phenyl)-6-prop-2-ynyloxy-1-(4-pyrazin-2-yl-benzyl)-1H-quinazolin-2-one;
 - 4-(4-Isopropyl-phenyl)-1-(3-methylsulphanyl-propyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
 - 4-(4-Isopropyl-phenyl)-6-prop-2-ynyloxy-1-thiophen-2-ylmethyl-1H-quinazolin-2-one;
 - 1-Benzyl-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazoline-2-thione;
- 4-(4-Isopropyl-phonyl)-1-(3-methane-sulphonyl-benzyl)-6-propargylexy-1H-quinazoline-2-thione:
 - 4-(4-Isopropyl-phenyl)-6-prop-2-ynyloxy-1-thiophen-2-ylmethyl-1H-quinazoline-2-thione;
- 1-[3-(2-Hydroxy-ethoxy)-benzyl]-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazoline-2-thione:
- 4-(4-Isopropyl-phonyl)-1-[2-(2-methoxy-ethoxy)-pyridin-3-ylmethyl]-6-propargyloxy-1H-quinazolin-2-thione;
 - 4-(4-Isopropyl-phenyl)-1-(3,3-dimethyl-n-butyl)-6-propargyloxy-1H-quinazolin-2-thione;
- 1-Benzo[1,2,5]thiadiazol-5-ylmethyl-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-thione;
- Acetic acid 2-{3-[4-(4-isopropyl-phenyl) 6-prop-2-ynyloxy-2-thioxo-2H-quinazolin-1-ylmethyl}-phenoxy}-ethyl-ester:
- 1-(2,3-Dimethoxy-quinoxalin-6-ylmethyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazoline;

```
1-[3-(2-Hydroxy-ethoxy) thiophen-2-ylmethyl]-4-(4-isopropyl-phenyl) 6-prop-2-ynylexy-1H-quinazoline-2-thione;
```

1-Isopropyl-4 (4-isopropyl-phenyl) 6-prop-2-ynyloxy-1H-quinazoline-2-thione;

2-{3-{4-(4-Isopropyl-phenyl)-2-oxo-6-propargyloxy-2H-quinazolin-1-ylmethyl}-phenyloxy}-butyric-acid;

2-{3-{4-(4-Isopropyl-phenyl)-2-oxo-6-propargyloxy-2H-quinazolin-1-ylmethyl]-phenoxy}-2-methyl-propionic-acid;

4-(4-Isopropyl-phenyl) 1-[2-(2-methoxy-ethoxy)-pyridin-3-ylmethyl]-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-[6-(2-hydroxy-ethoxy)-pyridin-2-ylmethyl]-4-(4-isopropyl-phonyl)-6-propargyloxy-1H-quinazolin-2-one;

1-[6-Chloro-pyridin-3-ylmethyl]-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;

1-(2-Hydroxy-pyridin-3-ylmethyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-1-(5-methoxy-pyridin-2-ylmethyl)-6-propargyloxy-1H-quinazolin-2-one:

4-(4-Isopropyl-phenyl) 1-(6-methyl-pyridin-2-ylmethyl) 6-propargyloxy-1H-quinazolin-2-one;

1-(2-Chloro-pyridin-4-ylmethyl) 4-(4-isopropyl-phenyl) 6-propargyloxy-1H-quinazolin-2-one;

1-(2-Chloro-pyridin-3-ylmethyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one; and

4-(4-Isopropyl-phenyl)-1-{6-{2-(2-methoxy-ethoxy)-ethoxy}-pyridin-2-ylmethyl)-6-propargyloxy-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-1-[6-(2-methoxy-ethoxy)-ethoxy)-pyridin-2-ylmethyl)-6-propargyloxy-1H-quinazolin-2-one;

5-Allyl-1-benzyl-6-hydroxy-4-(4-isopropyl-phenyl)-1H-quinazolin-2-one;

5 Allyl-1-[3-(2-chloro-ethoxy)-4-methoxy-benzyl]-6-hydroxy-4-(4-isopropyl-phenyl)-1H-quinazolin-2-one;

5-Allyl-6-hydroxy-4-(4-isopropyl-phenyl)-1-thiophen-2-ylmothyl-1H-quinazolin-2-one;

5-Allyl-6-hydroxy-4-(4-isopropyl-phenyl)-1-(3-methylsulphanyl-butyl)-1H-quinazolin-2-one;

5-Allyl-6-hydroxy-4-(4-isopropyl-phonyl)-1-(1-methyl-2-phonyl-ethyl)-1H-quinazolin-2-one;

5-Allyl-6-hydroxy-4-(4-isopropyl-phenyl)-1-pyridin-3-ylmethyl-1H-quinazolin-2-one;

5-Allyl-6-hydroxy-1-(4-hydroxy-3-methoxy-benzyl)-4-(4-isopropyl-phenyl)-1H-quinazolin-2-ene:

5-Allyl-6-hydroxy-1-[2-(2-hydroxy-ethoxy)-benzyl]-4-(4-isopropyl-phenyl)-1H-quinazolin-2-ono:

- 5-Allyl-6-hydroxy-1-[3-(2-hydroxy-ethoxy)-benzyl]-4-(4-isopropyl-phenyl)-1H-quinazolin-2-one:
 - 5 Allyl-1 (3,5-dimethoxy-benzyl) 6 hydroxy-4 (4-isopropyl-phenyl) 1H-quinazolin-2-one;
 - 1-Benzyl-6-hydroxy-4-(4-isopropyl-phenyl)-5-propyl-1H-quinazolin-2-one;
 - 6-Hydroxy-1-isobutyl-4-(4-isopropyl-phenyl)-5-propyl-1H-quinazolin-2-one:
- 5-Cyclopropylmethyl-1-(3,3-dimethyl-butyl)-6-hydroxy-4-(4-isopropyl-phenyl)-1H-quinazolin-2-one:
 - 1-Benzyl-5-cyclopropylmethyl-6-hydroxy-4-(4-isopropyl-phenyl)-1H-quinazolin-2-one;
- 5-Cyclopropylmethyl-1-(3,4-dimethoxy-benzyl)-6-hydroxy-4-(4-isopropyl-phenyl)-1H-quinazolin-2-one;
- 5-Cyclopropylmethyl-6-hydroxy-4-(4-isopropyl-phenyl)-1-(3-methoxy-benzyl)-1H-quinazolin-2-one:
- 5-Cyclopropylmethyl-1-(3,5-dimethoxy-benzyl)-6-hydroxy-4-(4-isopropyl-phenyl)-1H-quinazolin-2-one;
- 5-Cyclopropylmethyl-6-hydroxy-1-(4-hydroxy-3-methoxy-benzyl)-4-(4-isopropyl-phenyl)-1H-quinazolin-2-one:
- 1-[(3-(3,4-Dimethoxy-phenyl)-propyl)]- 4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one:
 - 4-(4-Isopropyl-phenyl)-1-(3-phenyl-propyl) 6-propargyloxy-1H-quinazolin-2-one;
- 1-[2-(3,5-Dimethoxy-phenyl)-ethyl]-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
- 1-[2-Hydroxy-2-(2,4,6-trimethyl-phonyl) ethyl]-4 (4-isopropyl-phonyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
- 1-[2-(3,5-Difluoro-phenyl)-2-hydroxy-ethyl]-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
- 4 (4-Isopropyl-phenyl)-6-prop-2-ynyloxy-1-[(E)-2-(2,4,6-trimethyl-phenyl)-vinyl]-1H-quinazolin-2-one;
 - 4-(4-Isopropyl-phenyl)-6-prop-2-ynyloxy-1-((E)-styryl)-1H-quinazolin-2-one;
- 1-[(E)-2-(3-Chloro-4-methoxy-phenyl)-vinyl]-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
- 1-[(E)-2-(3,5-Dimethyl-phenyl)-vinyl]-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one:
 - 2-Benzylsulphanyl-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-quinazoline;
 - 4-(4-Isopropyl-phenyl)-2-isopropylsulphanyl-6-prop-2-ynyloxy-quinazoline; and

2 Isobutylsulphanyl-4 (4-isopropyl-phenyl) 6-prop-2 ynyloxy-quinazoline; or a pharmaceutically acceptable acid addition salt thereof.

- 12. (Cancelled).
- 13. (Previously Presented) A compound of claim 11, wherein the compound is 1-(4-Bromo-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one, or a pharmaceutically-acceptable acid addition salt thereof.
- 14. (Previously Presented) A compound of claim 11, wherein the compound is 1-[3-(2-Hydroxy-ethoxy)-benzyl]-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazoline-2-thione, or a pharmaceutically-acceptable acid addition salt thereof.
- 15. (Previously Presented) A compound of claim 11, wherein the compound is 5-Cyclopropylmethyl-6-hydroxy-4-(4-isopropyl-phenyl)-1-(3-methoxy-benzyl)-1H-quinazolin-2-one, or a pharmaceutically-acceptable acid addition salt thereof.
- 16. (Previously Presented) A compound of claim 11, wherein the compound is 1-(2-Chloro-pyridin-3-ylmethyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one, or a pharmaceutically-acceptable acid addition salt thereof.
- 17. (Currently Amended) A method for the prevention or treatment of osteoporosis, juvenile osteoporosis, menopausal osteoporosis, post-menopausal osteoporosis, post-traumatic osteoporosis, fractures, osteopathy, osteo-malacia, periodontal bone loss or bone loss due to arthritis or osteoarthritis; in which an effective amount of a compound according to claim 11, or a pharmaceutically acceptable acid addition salt thereof, is administered to a patient in need of such treatment.
 - 18. (Cancelled).
- 19. (Previously Presented) The method of claim 17, wherein the compound is 1-(4-Bromo-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one, or a pharmaceutically-acceptable acid addition salt thereof.

- 20. (Previously Presented) The method of claim 17, wherein the compound is 1-[3-(2-Hydroxy-ethoxy)-benzyl]-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazoline-2-thione, or a pharmaceutically-acceptable acid addition salt thereof.
- 21. (Previously Presented) The method of claim 17, wherein the compound is 5-Cyclopropylmethyl-6-hydroxy-4-(4-isopropyl-phenyl)-1-(3-methoxy-benzyl)-1H-quinazolin-2-one, or a pharmaceutically-acceptable acid addition salt thereof.
- 22. (Previously Presented) The method of claim 17, wherein the compound is 1-(2-Chloro-pyridin-3-ylmethyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one, or a pharmaceutically-acceptable acid addition salt thereof.
- 23. (Currently Amended) A pharmaceutical composition for the prevention or treatment of osteoporosis, juvenile osteoporosis, menopausal osteoporosis, post-menopausal osteoporosis, post-traumatic osteoporosis, fractures, osteopathy, osteo-malacia, periodontal bone loss or bone loss due to arthritis or osteoarthritis, comprising a compound according to claim 11 in admixture with a pharmaceutically acceptable excipient, diluent or carrier.

24. (Cancelled).

- 25. (Previously Presented) The pharmaceutical composition of claim 23, wherein the compound is 1-(4-Bromo-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one, or a pharmaceutically-acceptable acid addition salt thereof.
- 26. (Previously Presented) The pharmaceutical composition of claim 23, wherein the compound is 1-[3-(2-Hydroxy-ethoxy)-benzyl]-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazoline-2-thione, or a pharmaceutically-acceptable acid addition salt thereof.
- 27. (Previously Presented) The pharmaceutical composition of claim 23, wherein the compound is 5-Cyclopropylmethyl-6-hydroxy-4-(4-isopropyl-phenyl)-1-(3-methoxy-benzyl)-1H-quinazolin-2-one, or a pharmaceutically-acceptable acid addition salt thereof.
- 28. (Previously Presented) The pharmaceutical composition of claim 23, wherein the compound is 1-(2-Chloro-pyridin-3-ylmethyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one, or a pharmaceutically-acceptable acid addition salt thereof.